

Tafla 1: Niðurstöður útreikninga á froststuðli fyrir veturna 1967-68 til 1997-98

Vetur:		F							
okt	maí	Reykjavík	Akureyri	Hólmur	Keflavík	Hvera- vellir	Dalatangi	Kirkju- bæjarkl.	Raufar- höfn
1963	1964			-4128					
1964	1965			-9263.7					
1965	1966			-11517.6					
1966	1967			-10488.6					
1967	1968			-12107.1					
1968	1969	-9585.2	-16992.8	-11910	-8492.2	-30742.2	-9903.3	-8171.3	-18094.5
1969	1970	-7820.5	-14439.3	-10510.8	-6599.4	-32539.3	-8223.5	-7844.6	-14646.5
1970	1971	-6780.6	-12632.9	-9027.3	-5173	-27519	-5683.8	-5471.4	-11648.9
1971	1972	-3887.8	-8453.1	-5781.3	-3318	-20559.9	-3666.2	-3391.8	-8985.0
1972	1973	-4655.7	-8652	-6616.2	-3976	-23253.8	-3555.2	-4043.1	-9616.4
1973	1974	-6941.4	-12468.3	-8955.3	-5694.8	-24565.2	-5722.5	-6657.2	-11495.9
1974	1975	-6625.8	-13799.8	-8187	-5404	-27830.7	-6394.1	-5568.6	-13070.7
1975	1976	-6474.2	-10098.1	-8747.1	-5149.8	-25620.9	-5279.4	-5841.0	-11699.4
1976	1977	-5757.2	-10617.5	-7375.5	-4653.1	-25422.9	-4085.6	-4170.8	-9084.0
1977	1978	-6277.4	-11948.8	-8119.2	-5154.2	-27054	-5263.4	-5155.8	-11048.0
1978	1979	-10662.7	-17225.2	-13741.2	-8612.1	-36414.7	-9047.1	-9416.9	-17607.0
1979	1980	-4528.2	-8847.2	-6383.7	-3045.2	-24054.5	-3225.6	-3876.3	-7905.9
1980	1981	-8934	-16253.3	-11536.8	-7261.5	-32887.7	-8029.7	-8470.7	-16350.0
1981	1982	-8525.3	-12628.6	-11386.2	-6441.7	-30547.2	-5037.9	-6657.2	-11913.9
1982	1983	-8416.2	-12639.6	-11136.3	-7134.4	-30540.2	-5761.1	-7214.6	-12819.2
1983	1984	-7043.7	-10381.7		-5551	-28179.7	-4050.3	-6151.5	-9715.6
1984	1985	-4577.4	-10060.4		-3505.4	-25748.6	-3791.1	-4290.5	-8469.3
1985	1986	-5080.2	-11154.2		-4002.8	-27551.4	-3985.1	-4688.0	-9997.9
1986	1987	-4169.7	-8705.2		-3405.4	-24416	-3029.0	-3611.4	-8355.1
1987	1988	-7290.8	-13214.9		-5881	-28786.2	-7125.5	-5917.2	-13527.2
1988	1989	-5942.5	-10672.4		-4680.2	-27468.6	-3961.2	-4525.1	-11672.0
1989	1990	-6174.7	-11322.2		-5074	-27438	-3664.2	-5012.6	-9427.5
1990	1991	-3546	-6384.6		-2670.9	-20873.7	-2226.5	-2834.7	-6024.0
1991	1992	-4421.8	-7808.5		-3752.1	-23783.2	-4055.3	-4279.1	-8552.6
1992	1993	-5643.6	-9043.4		-4843.8	-25547.5	-3406.5	-5892.6	-9101.3
1993	1994	-6957	-10435.2		-5516.8	-28255.6	-4323.3	-6197.7	-8529.6
1994	1995	-8202.7	-12409.4		-6384.8	-31927.8	-4937.0	-6954.8	-10694.9
1995	1996	-4572.7	-9128.2		-3466.5	-21687.6	-4002.5	-3751.5	-8121.3
1996	1997	-6568	-13569.1		-4950.5	-28627.4	-5170.8	-5739.8	-11589.5
1997	1998	-5302.8	-9495.1		-4075.4	-22058.3	-5049.2	-4738.4	-10056.2

meðaltal (μ) : -6378.9 -11382.7 -9345.9 -5129.0 -27063.4 -5055.2 -5551.2 -10994.0

miðgildi: -6375.8 -10913.3 -9145.5 -5111.9 -27453.3 -4630.1 -5520.0 -10375.5

st frávik (s) : 1775.0 2677.2 2477.0 1519.4 3774.4 1844.7 1619.6 2877.7

F_100 -11952 -19789 -17124 -9900 -38915 -10848 -10637 -20030

F_10 -8686 -14863 -12566 -7104 -31970 -7453 -7657 -14735

F_5 -7657 -13310 -11129 -6223 -29781 -6383 -6717 -13066

K(100)=3.14

K(10)=1.3

K(5)=0.72

Formúlan fyrir F_ar: $F_{ar} = \mu - s * K(ar)$